## POST-TEST

## Multiple Myeloma Update — Volume 1, Issue 1

## THE CORRECT ANSWER IS INDICATED WITH YELLOW HIGHLIGHTING.

- 1. Because it is universally expressed on malignant plasma cells, which of the following antigens is an attractive target for CAR T-cell-directed therapy in MM?\*
  - a. BCMA
    - b. CD19
    - c. CD33
- 2. A study presented at the 2016 ASH Annual Meeting demonstrated that daratumumab \_\_\_\_\_\_\_safely be administered via subcutaneous injection.\*
  - autorianeous injection
  - a. Could
  - b. Could not
- 3. Which of the following proteasome inhibitors has demonstrated activity in myeloma affecting the central nervous system?\*
  - a. Bortezomib
  - b. Ixazomib
  - c. Carfilzomib
  - d. Marizomib
- Ibrutinib is FDA approved for the treatment of \_\_\_\_\_\_.
  - a. Chronic graft-versus-host disease
  - b. WM
  - c. Both a and b
    - d. Neither a nor b
- Infusion-related reactions associated with the administration of daratumumab tend to persist over the course of the patient's treatment.
  - a. True
  - b. False

- 6. Which of the following side effects is NOT associated with ixazomib therapy?
  - a. Arthralgia
  - b. Gastrointestinal toxicity
  - c. Peripheral neuropathy
  - d. All of the above
- 7. Sensitivity to venetoclax for MM has primarily been observed in patients with t(11;14) disease.\*
  - a. True
    - b. False
- The Phase III randomized ELOQUENT-2 study evaluating elotuzumab/lenalidomide/dexamethasone versus lenalidomide/ dexamethasone \_\_\_\_\_\_a significant improvement in progression-free survival with the addition of elotuzumab for patients with R/R MM.
  - a. Demonstrated
  - b. Did not demonstrate
- 9. Which of the following categories reflects the mechanism of action of isatuximab?\*
  - a. Anti-CD38 monoclonal antibody
    - b. Anti-PD-1/PD-L1 antibody
    - c. IMiD
    - d. Proteasome inhibitor
- 10. Recent data presented from the Myeloma X and XI trials demonstrated that lenalidomide maintenance therapy improved outcomes for transplant-eligible patients with \_\_\_\_\_.
  - a. High-risk MM
  - b. Standard-risk MM
  - c. Both a and b
  - d. Neither a nor b