

## A Conversation with the Investigators: Chimeric Antigen Receptor T-Cell Therapy in Hematologic Cancers

THE CORRECT ANSWER IS INDICATED WITH YELLOW HIGHLIGHTING.

1. What was reported regarding overall and complete response rates with the FDA-approved chimeric antigen receptor (CAR) T-cell therapeutic agent brexucabtagene autoleucl for patients with relapsed/refractory (R/R) mantle cell lymphoma on the Phase II ZUMA-2 trial?
  - a. High overall response rate with more than 50% complete responses
  - b. 50% overall response rate but no complete responses
  - c. Low overall response rate with no complete responses
2. Based on the results of the Phase II KarMMa trial, the CAR T-cell therapy idecabtagene vicleucl (ide-cel) recently received FDA approval for the treatment of R/R multiple myeloma after at least 4 prior lines of therapy. What is the target of ide-cel?
  - a. CD19
  - b. BCMA
  - c. CD20
3. On the basis of the results of the ZUMA-5 trial, axicabtagene ciloleucl is FDA approved for which patients with follicular lymphoma?
  - a. Patients with relapsed/refractory disease after 2 or more lines of therapy
  - b. Patients with relapsed/refractory disease after 1 line of therapy
  - c. Patients with newly diagnosed disease
4. Which of the following CAR T-cell products is being compared to standard second-line therapy in the ongoing Phase III BELINDA trial for patients with R/R aggressive B-cell non-Hodgkin lymphoma?
  - a. Lisocabtagene maraleucl
  - b. Tisagenlecleucl
  - c. Axicabtagene ciloleucl
  - d. Idecabtagene vicleucl
  - e. Ciltacabtagene autoleucl