POST-TEST

Year in Review: Clinical Investigator Perspectives on the Most Relevant New Data Sets and Advances in Melanoma and Nonmelanoma Skin Cancers

THE CORRECT ANSWER IS INDICATED WITH YELLOW HIGHLIGHTING.

- Which of the following was observed with cemiplimab as neoadjuvant therapy for Stage II to IV cutaneous squamous cell carcinoma?
 - a. A complete or major pathological response in 90% of patients
 - b. A complete or major pathological response in 64% of patients
 - c. A complete or major pathological response in 18% of patients
- 2. The Phase III DREAMseq trial evaluating the optimal treatment sequence of combination dabrafenib/trametinib and combination nivolumab/ipilimumab for patients with treatment-naïve BRAF-mutant metastatic melanoma demonstrated which of the following outcomes?
 - a. The sequence beginning with nivolumab/ipilimumab resulted in a 20% absolute improvement in 2-year overall survival compared to beginning with dabrafenib/trametinib
 - b. The sequence beginning with dabrafenib/trametinib resulted in a 20% absolute improvement in 2-year overall survival compared to beginning with nivolumab/inilimumab
 - c. There was no difference in overall survival between the two treatment sequences

- 3. Which of the following best describes the mechanism of action of fianlimab?
 - a. Anti-PD-1 antibody
 - b. Hedgehog inhibitor
 - c. Anti-LAG3 antibody
- 4. The combination of cemiplimab with fianlimab as first-line therapy demonstrated which of the following in terms of tumor response in the cohort of patients with advanced melanoma who had received prior treatment with an anti-PD-1 agent in the (neo)adjuvant setting?
 - a. An objective response rate (ORR) of 56% that was durable
 - b. An ORR of 56% that was less than 6 months in duration
 - c. An ORR of 25% that was durable
 - d. An ORR of 25% that was less than 6 months in duration
- 5. The ongoing Phase III TILVANCE-301 trial is evaluating which novel agent in combination with pembrolizumab versus pembrolizumab alone in patients with untreated unresectable or metastatic melanoma?
 - a. Fianlimab
 - b. Cemiplimab
 - c. Lifileucel