

Cancer Q&A: Discussing Common Questions Posed by Patients with Relapsed/Refractory Multiple Myeloma

THE CORRECT ANSWER IS INDICATED WITH YELLOW HIGHLIGHTING.

1. Which of the following supplements has been reported to interfere with the efficacy of bortezomib?
 - a. Turmeric
 - b. Omega-3 fatty acids
 - c. Green tea supplements
 - d. Melatonin
2. According to current FDA approvals, at what point in the treatment course is a patient with multiple myeloma (MM) eligible to receive a bispecific antibody?
 - a. First line
 - b. Second line
 - c. Third line
 - d. Beyond third line
3. According to available data, which of the following strategies is most effective in the management of treatment-associated neuropathy in patients with MM?
 - a. Alpha-lipoic acid
 - b. Gabapentin
 - c. Cryotherapy
 - d. Vitamin B6 supplementation
4. What is the approximate incidence of delayed neurologic symptoms with idecabtagene vicleucel for patients with relapsed/refractory MM according to available data?
 - a. 20% or lower
 - b. Higher than 20%
5. Which of the following descriptions is most accurate regarding the ocular toxicity observed in patients receiving belantamab mafodotin for MM?
 - a. Mostly not reversible
 - b. Mostly reversible